

RECEIVED
CENTRAL FAX CENTERAppln. Serial No. 10/706,656
Reply to Office Action Mailed December 27, 2006**FEB 23 2007****CURRENT LISTING OF CLAIMS**

This listing of claims replaces all prior versions, and listings, of claims in the application:

- 1 1. (Original) A database system comprising:
2 a storage to store a view containing results of a cube-based operation on at least one base
3 table, the view containing a first result set for a group-by on a first grouping set, and a second
4 result set for a group-by on a second grouping set; and
5 a controller, in response to a change to the at least one base table, to:
6 update the first result set by computing a change to the first result set based on a
7 change in the at least one base table; and
8 update the second result set by computing a change to the second result set based
9 on the change to the first result set.
- 1 2. (Original) The database system of claim 1, wherein the first grouping set has a first
2 number of grouping attributes, and the second grouping set has a second number of grouping
3 attributes, the first number being greater than the second number.
- 1 3. (Original) The database system of claim 2, wherein the view further contains a third
2 result set for a group-by on a third grouping set having a third number of grouping attributes, the
3 third number less than the second number,
4 the controller to further update the third result set by computing a change to the third
5 result set based on the change to the second result set.
- 1 4. (Original) The database system of claim 1, wherein the view contains results of a group-
2 by cube operation.
- 1 5. (Original) The database system of claim 1, wherein the view contains results of a group-
2 by partial cube operation.

Appln. Serial No. 10/706,656
Reply to Office Action Mailed December 27, 2006

1 6. (Original) The database system of claim 1, further comprising plural access modules and
2 plural storage modules, the access modules to enable parallel access of data in the plural storage
3 modules.

1 7. (Original) The database system of claim 6, wherein the controller is adapted to distribute
2 rows in the first result set across the access modules based on a hash of columns of the second
3 grouping set and at least another column that is assigned a predefined value.

1 8. (Original) The database system of claim 7, wherein the view contains results of a cube
2 operation specified by a cube function on plural columns, the at least another column being one
3 of the plural columns of the cube function that is not in the second grouping set.

1 9. (Original) The database system of claim 7, wherein the view is distributed across the
2 access modules such that plural portions of the view reside in respective storage modules, and
3 wherein the rows in the first result set are distributed across the access modules according to the
4 hash to enable:

5 each access module to locally perform a merge and aggregate operation on the rows of
6 the first result set to produce rows of the second result set; and

7 each access module to locally merge the rows of the second result set into a respective
8 portion of the view without having to first redistribute the rows of the second result set.

1 10. (Original) The database system of claim 1, wherein the controller is adapted to further:
2 receive a query specifying a group-by operation; and
3 determine whether an answer for the query specifying the group-by operation can be
4 satisfied from the view.

1 11. (Original) The database system of claim 10, wherein the query specifies a group-by
2 operation on grouping sets S, and the view contains result sets for grouping sets C,
3 the controller to determine whether S is a subset of C to determine whether the answer for
4 the query can be satisfied from the view.

Appln. Serial No. 10/706,656
Reply to Office Action Mailed December 27, 2006

1 12. (Original) The database system of claim 11, wherein the controller is adapted to modify
2 a WHERE clause of the query in response to determining that S is a subset of C.

1 13. (Original) A method for use in a database system, comprising:
2 storing a view containing results of a cube-based operation on at least one base table, the
3 view containing result sets for group-bys on respective grouping sets;
4 updating a first result set by computing a change to the first result set based on a change
5 in the at least one base table; and
6 updating a second result set by computing a change to the second result set based on the
7 change to the first result set.

1 14. (Original) The method of claim 13, wherein updating the first result set comprises
2 updating the first result set for the group-by on a first grouping set that has a greater number of
3 columns than a second grouping set corresponding to the second result set.

1 15. (Original) The method of claim 13, further comprising updating a third result set by
2 computing a change to the third result set based on the change to the second result set.

1 16. (Original) The method of claim 15, further comprising updating a fourth result set by
2 computing a change to the fourth result set based on the change to the third result set.

1 17. (Original) The method of claim 13, wherein the database system has plural storage
2 modules to store respective portions of the view, and plural access modules to manage access of
3 respective storage modules,
4 wherein updating the first result set and second result set are performed in parallel by the
5 plural access modules.

1 18. (Original) The method of claim 17, further comprising distributing rows of the first and
2 second result sets across the plural access modules.

Appln. Serial No. 10/706,656
Reply to Office Action Mailed December 27, 2006

1 19. (Previously Presented) The method of claim 18, wherein the first result set corresponds
2 to a group-by on a first grouping set having N columns, and the second result set corresponds to
3 a group-by on a second grouping set having N-1 columns, and wherein distributing the first
4 result set to compute the second result set comprises distributing the first result set based on a
5 hash of the N columns, with the column in the first grouping set not present in the second
6 grouping set being assigned a predefined value.

1 20. (Previously Presented) The method of claim 19, further comprising:
2 updating a third result set by computing a change to the third result set based on the
3 change to the second result set, wherein the third result set corresponds to a group-by on a third
4 grouping set having N-2 columns,
5 wherein distributing the second result set across the access modules to compute the third
6 result set is based on a hash of the N columns, with the columns in the first grouping set not
7 appearing in the third grouping set each being assigned to the predefined value.

1 21. (Original) The method of claim 20, wherein storing the view comprises storing a view
2 for a cube operation based on a cube function of the N columns.

1 22. (Original) An article comprising at least one storage medium containing instructions that
2 when executed cause a database system to:
3 store a view containing results of a cube-based operation on at least one base table, the
4 view containing result sets for group-bys on respective grouping sets;
5 update a first result set by computing a change to the first result set based on a change in
6 the at least one base table; and
7 update a second result set by computing a change to the second result set based on the
8 change to the first result set.

1 23. (Original) The article of claim 22, wherein updating the first result set comprises
2 updating the first result set for the group-by on a first grouping set that has a greater number of
3 columns than a second grouping set corresponding to the second result set.

Appl. Serial No. 10/706,656
Reply to Office Action Mailed December 27, 2006

1 24. (Original) The article of claim 22, wherein the instructions when executed cause the
2 database system to further update a third result set by computing a change to the third result set
3 based on the change to the second result set.

1 25. (Original) The article of claim 22, wherein the database system has plural storage
2 modules to store respective portions of the view, and plural access modules to manage access of
3 respective storage modules,
4 wherein updating the first result set and second result set are performed in parallel by the
5 plural access modules.

1 26. (Original) The article of claim 25, wherein the instructions when executed cause the
2 database system to further distribute rows of the first and second result sets across the plural
3 access modules.

1 27. (Previously Presented) The article of claim 26, wherein the first result set corresponds to
2 a group-by on a first grouping set having N columns, and the second result set corresponds to a
3 group-by on a second grouping set having N-1 columns, and wherein distributing the first result
4 set to compute the second result set comprises distributing the first result set based on a hash of
5 the N columns, with the column in the first grouping set not present in the second grouping set
6 being assigned a predefined value.

1 28. (Original) The article of claim 27, wherein storing the view comprises storing a view for
2 a cube operation based on a cube function of the N columns.